




# EZ Dock Product Guide

effective: 01/01/11

## DOCK SECTIONS

### The Right Dock For Every Application.

Rugged, adaptable, reliable, safe—the EZ Dock system has it all. Our low-density polyethylene docks, boat lifts, and PWC lifts have a unique design that delivers outstanding load capacity, functionality, and safety. A variety of dock sections and lifts, plus an extensive selection of anchoring systems and accessories, make it easy to customize the system. For private, commercial, or public facilities, the EZ Dock system is a low-maintenance, versatile design that provides years of convenient, dependable use. EZ Dock's patented one-piece, self-floating design is fast and easy to install. Sections come in several sizes with evenly spaced coupler, hardware, and anchor pockets. You choose the configuration that suits your application.




#### Features & Benefits:

- Low maintenance
- Beige color - cool to touch
- Variety of anchoring options
- Convenient accessories
- Versatile modular design
- Secure connection couplers
- Strength and flexibility
- Safe, slip-resistant surface
- Four-season accessibility

### The Half-Hexagon Dock Adds Versatility.

Imagine the configurations now made possible by this unique dock design. Combine modular half-hexagon sections for a platform of almost any size, or as a starting point for unusual dock angles.



Special connection couplers are designed to allow sections to move independently under high-stress conditions, yet provide unified stability. Made with recycled material, the couplers are compounded to prevent fatigue problems. The composite coupler bolt and nut eliminate rusting in all water conditions.

U.S. Patent #5,281,055

	SIZE	WEIGHT	FLOTATION CAPACITY*	PART #
A.	40" x 5' x 15" 1m x 1.5m x 38cm	100 lbs. 45.4 kg	1,000 lbs. 453.6 kg	204060
B.	40" x 10' x 15" 1m x 3.1m x 38cm	190 lbs. 86.2 kg	2,000 lbs. 907.2 kg	204010
C.	60" x 10' x 15" 1.5m x 3.1m x 38cm	285 lbs. 129.3 kg	3,000 lbs. 1360.8 kg	206010
D.	80" x 10' x 15" 2m x 3.1m x 38cm	385 lbs. 175 kg	4,000 lbs. 1814.4 kg	208010
E.	52" x 10' x 15" (Half-Hexagon) 1.3m x 3.1m x 38cm (Half-Hexagon)	210 lbs. 95.3 kg	2,000 lbs. 907.2 kg	260120
F.	Corner Gusset	40 lbs. 18 kg		300501

U.S. Patent #5,281,055

NOTE: Because of the rotomolding process, weights and dimensions may vary.

DESCRIPTION	PART #
Coupler set (bulk pack) w/hardware	301100
Coupler set (2 pair) w/hardware	301200
Coupler set (3 pair) w/hardware	301300



(800) 654-8168  
www.ez-dock.com

# PERSONAL WATERCRAFT LIFTS

## EZ Port PWC Lifts *EZ Port* / *EZ Port MAX*<sup>®</sup>

The EZ Port family of PWC lifts are the simplest drive-on, push-off methods of dry docking. No winching, cranking, pumping, or hoisting. The self-floating EZ Ports moves with changing water levels and helps protect the watercraft from damage caused by wind or wave action. EZ Ports are so simple to use, even beginner PWC operators will find boarding and launching a breeze. Plus, EZ Ports can be used alone, connected together in groups, with EZ Dock systems, or with other dock systems. Installation is a breeze requiring just a few tools and very little time. The EZ Port dry-docking systems are the fastest, simplest, and easiest to use.

	MODEL	SIZE	WEIGHT	FLOTATION CAPACITY*	PART #
<b>A.</b>	EZ Port II	127" x 60" x 15" 3.2m x 1.5m x 38cm	240 lbs. 109 kg	800 lbs. 363 kg	206011PW
<b>B.</b>	EZ Port III	151" x 60" x 15" 3.8m x 1.5m x 38cm	280 lbs. 127 kg	1300 lbs. 590 kg	206013PW
<b>C.</b>	EZ Port & Stow	184" x 60" x 15" 4.7m x 1.5m x 38cm	520 lbs. 236 kg	1450 lbs. 658 kg	206016PW
<b>D.</b>	Extension for A	20" x 60" x 15" .5m x 1.5m x 38cm	60 lbs. 27 kg	100 lbs. 45 kg	206010EXSS
<b>E.</b>	EZ Port MAX with integrated bow section	149" x 60" x 15" 3.78m x 1.5m x 38cm	320 lbs. 147.4 kg.	1380 lbs. 626 kg.	206032PW
<b>F.</b>	EZ Port MAX Entry	149" x 60" x 11" 3.78m x 1.5m x 28cm	315 lbs. 142.8 kg.	1380 lbs. 626 kg.	206030PW
<b>G.</b>	EZ Port MAX Extension	146" x 60" x 11" 3.71m x 1.5m x 28cm	328 lbs. 148.8 kg.	1400 lbs. 635 kg.	206031PW
<b>H.</b>	Bow Section Full Port MAX	39" x 60" x 10" 1m x 1.5m x 25.4cm	46 lbs. 20.9 kg.		206025BS
<b>I.</b>	Kit, Bow Section Small For Port MAX	33" x 10" x 16" .83m x 2.54cm x 40.6cm	15 lbs. 6.8 kg.		206027BS
<b>J.</b>	EZ Port MAX 2 Easy Lift with Easy Lift Entry (full bow)	43" x 60" x 11" 1.09m x 1.5m x 27.9cm	75 lbs. 34 kg.	400 lbs. 181 kg.	206034EX
<b>K.</b>	Port MAX Easy Lift Entry	58" x 42" x 15"	400 lbs.	400 lbs.	206033EZ-EZ

\* When attached to an EZ Dock product. Supplemental flotation is available for specific applications. U.S. Patent # 398,576  
Note: Because of the rotomolding process, weights and dimensions may vary.

**EZ Port 2, EZ Port 3 and EZ Port & Stow** all have adjustable center keel rollers that allow you to customize the fit & function to each PWC. The EZ Port 2 is the most cost effective lift for older and lighter PWC's while the EZ Port 3 and EZ Port & Stow can handle most any PWC. The EZ Port & Stow offers added features of onboard storage, more front deck space and one additional roller.

**EZ Port MAX & MAX2:** The newest additions to EZ Port family of PWC lifts are the EZ Port MAX and EZ Port MAX2. These PWC lifts take ease of porting to the "MAX" with their components which make these ports Modular, Adaptable and eXpandable. The first of its kind, the EZ Port MAX offers multiple PWC parking with an inline design. Side rollers require no adjusting and cradle your PWC. The newest EZ Port MAX2 with Easy Lift entry offers a soft entry and most flotation of any port. Available in multiple configurations, it can be used with standard EZ Dock, traditional fixed or floating docks or freestanding.

### Take Your PWC to the *MAX*<sup>®</sup>


**IDLE UP**



**EASE INTO THROTTLE**



**ROLL ABOARD**



# EZ PORT® BOAT LIFTS

## The Largest ONE-PIECE Boat & Personal Watercraft lift on the market!

Complete with all the features of the exceptional line of EZ Port products, the EZ Port 4 is designed specifically for 4-seat personal watercrafts and boats up to 20 feet in length. The EZ Port 4 also boasts a weight capacity of up to 2000 lbs., making it the most versatile docking solution on the market today.

The EZ Port 4 has a variety of configurations available, with standard features that virtually eliminate the competition in docking standards. These features include a flip-up front cleat and four other optional cleat positions, a fixed-position stern roller and three bedway rollers (each with 12 adjustment options), patented rotomolded polyethylene construction, slip-resistant surfaces and much more. These features, along with superior customer service, combine to make the EZ Port 4 the first of its kind—and the finest—in the industry.

### A. EZ Port 4 #208014PW

168" (4.25m) Long, 80" (2m) Wide, 15" (38cm) High.

**Weight:** 543 lbs. (227 kg)

**Flotation Capacity:** 1600 lbs. (725 kg)

**Part #208014PW**

### B. EZ Port 4 (2') Extension #228014EX

24" (0.6m) Long, 80" (2m) Wide, 15" (38cm) High.

**Weight:** 90 lbs. (45 kg)

**Flotation Capacity:** 400 lbs. (181 kg)

**Part #228014EX**

### C. EZ Port 4 (4') Extension #208014EX

48" (1.2m) Long, 80" (2m) Wide, 15" (38cm) High.

**Weight:** 175 lbs. (80 kg)

**Flotation Capacity:** 400 lbs. (181 kg)

**Part #208014EX**

### D. EZ Port 4 Bow Section & Winch #208014BW


48" (1.2m) Long, 80" (2m) Wide, 15" (38cm) High.

**Weight:** 220 lbs. (80 kg)

**Flotation Capacity:** N/A

**Part #208014BW**

The EZ Port 4 also attaches to any other EZ Dock section and has the option of utilizing EZ Dock access options, anchoring systems and accessories. To create the perfect installation, EZ Dock design engineers and installers are available to handle the technical details and ensure total customer satisfaction.



D

**For Boats up to 20'  
& 4-seat PWC's!**

**Contact your local dealer to configure the perfect boat lift for your needs.**

## A Great Dock And Boat Lift, Too!

The EZ Port winch-on boat lift system can be used under conditions in which traditional lifts cannot. Because it floats, EZ Port can be used where water levels vary widely, where lake, river, and ocean bottoms are soft, or where access makes it difficult to install other types of lifts.

The EZ Port winch-on boat lift system is engineered for most fiberglass V-style hull boats. The multiple premium Stoltz adjustable rollers can accommodate boats with a 14° to 21° dead-rise angle. And eight different heights can be achieved by positioning the rollers in four possible configurations on two trays.

Docking is as simple as loading onto a roller bed trailer, and this unique docking option will keep your boat high and dry—free from impacts, floating debris, algae, and barnacles.



A.



B.



C.



D.

### A. Winch/Bow Stop Section #204005FL

20" (50cm) Long, 40" (1m) Wide, 15" (38cm) High.

**Section Weight:** 45 lbs. (20 kg)

**Winch:** Fulton XLT series 1400 lbs. (635 kg) winch, 20' (6.1m) strap, and hook.

**Part #204005FL**

### B. Intermediate Roller Section #204020FL

20" (50cm) Long, 40" (1m) Wide, 15" (38cm) High.

**Section Weight:** 45 lbs. (20 kg)

**Rollers:** One adjustable roller.

**Part #204020FL**

### C. Stern Roller Section #204670FL

60" (1.5m) Long, 40" (1m) / 70" (1.8m) Wide, 15" (38cm) High.

**Section Weight:** 180 lbs. (80 kg)

**Rollers:** Two adjustable rollers.  
One fixed rear roller.

**Part #204670FL**

### D. Example: Assembled Lift

3 - 40" (1m) x 10' (3m) x 15" (38cm) dock sections combined with the Bow Stop, Intermediate Roller, and Stern Roller Sections.

**Maximum Boat Weight:** 1500 lbs. (680 kg)


**Overall Dock Dimensions:** 13' (4m) x 10' (3m)

**Boat Length:** 12' (3.7m) - 14' (4.3m)

*Additional flotation available for heavier boats.*

*Stern section adds 18" (46cm) to length of dock.*

*Because of the rotomolding process, weights and dimensions may vary.*



# ANCHORING

## ANCHORING PIPE WITH CAPS PART #: 100026 OR 100036



Galvanized steel, mechanical-grade pipe provides economical anchoring in shallow water. Pipe and caps sold separately.

### Pipe:

LENGTH	PART #
--------	--------

#### ▼ 2 3/8" O.D., 10 gauge:

16' (4.87m)	1160250
18' (5.48m)	118025
21' (6.4m)	121025
24' (7.31m)	124025

#### ▼ 3 1/2" O.D., 10 gauge:

16' (4.87m)	1160350
18' (5.48m)	118035
21' (6.4m)	121035
24' (7.31m)	124035

### Pipe Caps:

SIZE	PART #
------	--------

Fits 2 3/8" (6cm) O.D. pipe	100026
Fits 3 1/2" (9cm) O.D. pipe	100036

## PIPE AUGERS

### PART #: 100255 OR 100355



Auger with bolt and nut allows for drilling and setting pipe in lake, river, or ocean bottoms. Pipe sold separately.

DESCRIPTION	PART #
-------------	--------

For 2 3/8" (6cm) O.D. pipe	100255
For 3 1/2" (9cm) O.D. pipe	100355

## PIPE BRACKET

### PART #: 130250 or 130350




Standard-duty polyethylene bracket provides ample anchoring for EZ Port PWC lifts, or for smaller docks in moderate conditions.

DESCRIPTION	PART #
-------------	--------

For 2 1/5" (6cm) O.D. pipe	130250
For 3 1/2" (9cm) O.D. pipe	130350

**HEAVY-DUTY PIPE BRACKET**  
ITEM #: 210250 or 210350



Heavy-duty polyethylene pipe bracket allows docks to adjust to changing water levels.

DESCRIPTION	PART#
For 2 1/2" (6cm) O.D. pipe	210250
For 3 1/2" (9cm) O.D. pipe	210350

**PIPE STAND-OFF BRACKET**  
PART #: 1051000



Polyurethane bracket attaches top of pipe to stationary docks. Fits pipe 2.5" (6cm) to 3.5" (9cm) O.D.

DESCRIPTION	PART #
Pipe stand-off bracket	1051000

**DEADWEIGHT BRACKET (LARGE)**  
PART #: 210350 and 100725P



Add a deadweight insert to our heavy-duty polyethylene pipe bracket to anchor docks in deep water or over rocky bottoms.

DESCRIPTION	PART #
Bracket & insert for 3 1/2" O.D. pipe	210350
Deadweight insert for #210350 assy.	100725P

**DEADWEIGHT BRACKET (SMALL)**  
PART #: 100740 or 100740SS



For light-duty anchoring with chain and/or to attach 4" (10cm) x 4" (10cm) railing or mooring posts. Sold in Pairs. Chain sold separately.

DESCRIPTION	PART #
Deadweight bracket kit	100740
Stainless steel kit	100740SS

**DEADWEIGHT WINCH INSERT**  
PART #: 100730 and 210350



Deadweight insert and cable winch added to our polyethylene pipe bracket allow easy dock adjustment for water fluctuations. Cable sold separately.

DESCRIPTION	PART #
Deadweight winch insert	100730
Heavy Duty Dock Bracket for winch insert	210350

**ADAPTOR HINGE**  
PART #: 100750 or 100750SS



Reversible hinge allows you to bolt EZ Port PWC lifts or EZ Dock sections to other types of floating docks. Sold in pairs.

DESCRIPTION	PART #
Adaptor hinge	100750
All stainless steel	100750SS
Port Max hinge	100751
All stainless steel	100751SS

**PILING BRACKET**  
PART #: 300800



Heavy-duty polyethylene bracket with stainless steel hardware allows lateral position adjustment to attach to piles from 6" (15cm) to 18" (46cm) in diameter.

DESCRIPTION	PART #
Piling bracket	300800

**PILING BRACKET and HOOPS**  
PART #: 100800 and 100812



Mainframe piling bracket is predrilled for hoops from 4" (10cm) to 24" (61cm) wide. Includes connectors with nuts. Hoops sold separately. *Stainless steel hardware available.*

DESCRIPTION	PART #
Mainframe piling bracket	100800
<b>Hoops:</b>	
<b>SIZE</b>	<b>PART #</b>
4" (10cm)	100804
6" (15cm)	100806
8" (20cm)	100808
12" (30cm)	100812
16" (41cm)	100816
20" (51cm)	100820
24" (61cm)	100824

**STIFF-ARM HEAVY DUTY**  
PART #: 800099 and S80094



Anchor to a shoreline abutment or to a shoreline post with our heavy-duty stiff-arm. Light-duty stiff-arm bracket also available.

DESCRIPTION	PART #
Frame & Yoke (as shown)	800099
Sea wall attachment bracket	S80094

**STIFF-ARM BRACKET**  
PART #: 100700 and 800095-15



Includes hardware. Order stiff-arm insert, post sleeve, and anchoring pipe separately.

DESCRIPTION	PART #
Mainframe bracket	100700
2" I.D. post sleeve for stiff arm	800095-15

**STIFF-ARM POST SLEEVE**  
PART #: 800095-20



Sleeve for shoreline post attachment.

I.D.	PART#
2 1/2" (6cm)	800095-20
3" (8cm)	800095-25
3 1/2" (9cm)	800095-30
4" (10cm)	800095-35


# ACCESSORIES and RAILING

## BARRIER-FREE RAILING

Galvanized steel 42" (1.1m) high guardrails conform with SOBA and ADA guidelines, and are designed to provide security with minimal obstruction. Choose the standard hot-dipped galvanized finish, or optional powder-coated finish—available in sand, royal blue, brown, forest green, and now available in stainless steel. Hardware included.

STYLE	WIDTH	GALV PART #	PWDR CTD #
910	10' (3m)	100910	105910
911	5' (1.5m)	100911	105911
912	10' (3m)	100912	105912
913R	10' (3m)	100913R	105913R
913L	10' (3m)	100913L	105913L
914R	5' (1.5m)	100914R	105914R
914L	5' (1.5m)	100914L	105914L
915	5' (1.5m)	100915	105915
916*	5' (1.5m)	100916*	105916*
917	80" (2m)	100917	105917
918	80" (2m)	100918	105918
919	40" (1m)	100919	105919
920*	40" (1m)	100920*	105920*

\*These styles are equipped with holders for fishing rods.



Now Available in Stainless Steel!



## Bring The Water Park To The Water Front with a Dock Slide!

Our popular dock slide utilizes rugged, durable, polyvinyl-coated steps, and a one-piece polyethylene bedway for a smooth ride. Install with almost any EZ Dock\* where water depth is more than 5 feet.

\*Requires two dock sections.

COLOR	PART #
Blueberry	300600
Forest Green	300600FG

## STORAGE BOX

PART #: 300750



Permanently mounted and constructed of weather-resistant materials, the storage box is a great place to store life jackets, towels, and any other essential supplies.

DESCRIPTION	PART #
Storage box	300750

## CORNER STORAGE BOX W/CORNER GUSSET

PART #: 300760



Roomy storage in a new design with two removable storage trays that makes the most of space without interfering with foot traffic. Connection boxes for complete utility hookups through this box are available.

DESCRIPTION	PART #
Corner storage box	300760

## CORNER DOCK WHEEL

PART #: 300537



DESCRIPTION	PART #
Corner dock wheel	300537

## WINCH WITH STRAP FULLON

PART #: 91400



DESCRIPTION	PART #
Winch with strap fullon	91400

## SWIM LADDER

PART #: 300260



One-piece polyethylene ladder is designed for maximum safety with no exposed hardware and 400 pounds of weight capacity. Slip-resistant textured surface stays cool in hot weather.

DESCRIPTION	PART #
Swim ladder	300260

## EZ FLOAT STEP LADDER

PART #: 300270



Patent pending aluminum ladder with polyethylene float that keeps the ladder out of the water when not in use but is readily available when needed.

DESCRIPTION	PART #
EZ Float Step Ladder	300270


**POLYETHYLENE TRANSITION UNIT**  
PART #: 100717 or 100718 (shown)



Hinged polyethylene plate creates a smooth transition between EZ Dock or EZ Port and another floating dock.

DESCRIPTION	PART #
Single-plank transition kit	100717
Double-plank transition kit	100718

**DOCK BUMPER**  
PART #: 300180



Made from specially formulated marine grade vinyl, the dock bumper is designed to protect the boat gunwales and rub-rails. Dock bumper will attach to dock using embedded T-nuts.

DESCRIPTION	PART #
Dock bumper	300180


**TIE-DOWN CLEATS**  
PART #: 300100 & 300110



Tie-down cleats (8" [20cm]) and other accessories attach to heavy-duty stainless-steel T-nuts molded in pairs around dock section perimeters.

DESCRIPTION	PART #
Tie-down cleats	300100
Heavy Duty cleats	300110

**HARDWARE CONNECTORS**  
PART #: 201040SS and 201041SS



For attaching various accessories.

DESCRIPTION	PART #
A - Male hardware connector	201040SS
B - Female hardware connector	201041SS

**COUPLER INSTALLATION TOOL**  
PART #: 9000010



Coupler installation tool simplifies in-water connection of dock sections.

DESCRIPTION	PART #
Coupler installation tool	9000010
Coupler	311010
Coupler set	301100

**SECURITY CURBING**  
PART #: 35116



Constructed of polyethylene, curbing provides a safe border around dock edges for wheelchairs. (Available in brown only)

DESCRIPTION	PART #
Brown curb 10' section	35116
3" (8cm) Flathead screws	80530SS

**CORNER GUSSET**  
PART #: 300501



Polyethylene corner gusset adds deck surface and additional stability to dock fingers when needed. 33.5" (85cm) wide, 6" (15cm) high.

DESCRIPTION	PART #
Corner gusset	300501

**DOCK EDGING**  
PART #: 400117



Constructed of durable vinyl, the edging provides a soft cushion to protect boats from the sides of docks and vice versa.

DESCRIPTION	PART #
10' Section	400117
Kit with 60'	406117

**SUPPLEMENTAL FLOTATION**  
PART #: 206013FL or 208014FL



Attaches under dock sections and EZ Port lifts to increase the flotation capacity in specific applications.

DESCRIPTION	PART #
Supplemental flotation	206013FL
EZ Port 4 Supplemental	208014FL

**POLYETHYLENE BENCH HARDWARE KIT**  
PART #: 300965, 300970, and 300966



A complete hardware kit that allows construction of a durable polyethylene dock bench. Arm brackets sold separately.

DESCRIPTION	PART #
Polyethylene dock bench	300965
P.E. Bench w/ arm brackets	300970
P.E. Arm kit	300966


**DOCK WHEELS**  
PART #: 900050



Steel frames with polyethylene wheels make movement of docks easier. Sold in pairs.

DESCRIPTION	PART #
Dock wheels	900050

**UTILITY CHANNEL**



Two-piece, 20" wide chaseway attaches to side of dock sections to house conduit for utility lines. Available in 60" or 20" long sections, and with stainless steel hardware option. Inside and outside corners allow complete versatility when configuring docks for convenient utility connections.

DESCRIPTION	PART #
Utility Channel, 5' x 20"	302060
w/Stainless steel hardware	302060SS
Utility Channel, 20" x 20"	302020
w/Stainless steel hardware	302020SS
20" Inside Corner	302030
w/Stainless steel hardware	302030SS
20" Outside Corner	302040
w/Stainless steel hardware	302040SS

# DOCK ACCESS

## Bring The Whole Gang.

Our new polyethylene gangway offers the same durability, stability, and modular versatility of our docks. It will last longer than wood, and its slip-resistant surface enhances safety. Available in 6' sections which can be combined to lengths of 12' and 18'. Railings are also available.

Description	Part #
Shore end 4' wide aluminum transition plate w/ hinges	400401
6' Long polyethylene gangway section	400406
12' Tube support kit for polyethylene gangway kit	401412
18' Tube support kit for polyethylene gangway kit	401418
P.E. gangway-to-hinge kit only, w/stainless steel hdwe.	400420SS
Polyethylene gangway-to-hinge kit only	400430
Polyethylene gangway to abutment kit	400450
P.E. gangway to abutment kit, w/stainless steel hdwe.	400450SS
Polyethylene gangway to 60" float kit	400460
P.E. gangway to 60" float kit, w/stainless steel hdwe.	400460SS
Polyethylene gangway to 80" float kit	400480
P.E. gangway to 80" float kit, w/stainless steel hdwe.	400480SS



## Polyethylene Gangway

(Gangway shown with optional railing)

### GANGPLANK MOUNTING KIT

PART #: 100240 or 100340 or 100600



Galvanized steel hinge bracket and hardware, for wood walkways 24" (61cm), 34" (86cm), or 60" (1.5m) wide.

Kits include hardware connectors with nuts, hinge-to-float bracket, hinge-to-plank bracket and 2 gangplank stiffeners with carriage bolts, nuts, and washers. Lumber not included.


WIDTH	FITS FLOAT WIDTH	PART#
24" (61cm)	40" x 60" x 80" Float, 2 pocket connection	100240
34" (91cm)	40" x 60" x 80" Float, 2 pocket connection	100340
60" (1.5m)	60" Float, 3 pocket connection	100600
60" (1.5m)	80" Float, 4 pocket connection	100680

#### ▼ Shore-end hinge adaptor kits

Kit for 34" (.9m) gangway	150340
Kit for 60" (1.5m) gangway	150600
Kit for 34" (.9m) gangway abutment w/ roller	140340
Kit for 60" (1.5m) gangway abutment w/ roller	140600

### GANGWAY ALUMINUM

PART #: 300310 to 500530



Gangway has welded construction with slip-resistant walkway, side curb, and rails. Lengths from 10'-30' (3m-9.1m), and widths from 3'-5' (1m-1.5m).

WIDTH	LENGTH		PART #
3'	10'	with railing	300310
3'	14'	with railing	300314
3'	20'	with railing	300320
3'	25'	with railing	300325
3'	30'	with railing	300330
5'	10'	with railing	500510
5'	14'	with railing	500514
5'	20'	with railing	500520
5'	25'	with railing	500525
5'	30'	with railing	500530

### ABUTMENT HINGE BRACKET

PART #: 50501SS or 50502SS



Bracket attaches to the shore end of 3' (91cm) and 5' (1.5m) aluminum gangways bolting to shoreline abutment.

WIDTH	PART #
48"	50501SS
60"	50502SS

### FLOAT HINGE BRACKET

PART #: 100650SS or 100850SS



Hinged bracket with hardware attaches gangway to dock. Available in 60" (1.5m) and 80" (2m) widths.

POCKETS	PART #
3	100650SS
4	100850SS

### TRANSITION PLATE

PART #: 300301 or 500501



Hinged aluminum plate creates smooth transition between shore grade and aluminum gangway deck.

WIDTH	PART #
3' (91cm) w/hinges	300301
5' (1.5m) w/hinges	500501

### PLANK GANGWAY

PART #: 200200



Hinged polyethylene panel creates a smooth transition between shore grade and deck surface.

DESCRIPTION	PART #
Plank Gangway	200200

### GANGWAY ROLLER KIT

PART #: 300300 or 300400



Gangway roller kit allows end of gangway to adjust with changing water levels. Available for all gangway kits.

DESCRIPTION	PART #
Roller Kit for PVC roller	300300
▼ Schedule 80 PVC pipe 36" (.9m) long, 3.5" dia.	105030
Roller Kit for galvanized roller	300400
▼ Galvanized steel pipe 56" (1.4m) long, 3.5" dia	105035



(800) 654-8168  
www.ez-dock.com

© 2011 EZ Dock, Inc.  
EZ Dock is a division of Playpower, Inc.  
EZ-PG-NoPrices-1-10-11